



Supported & Recommended by our Friends & Partners:

wikiHow





Sarah x Sarah

`BOUT HOME

DIFFERENCES BETWEEN OUR FREE & PREMIUM PLANS



VS.



PREMIUM 10'x20' PLAN

- 30+ detailed 3D schematics
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet ready
- Designed for newbies and pro's

FREE 10'x20' PLAN

- Basic schematics
- Basic angles
- Basic measurements
- Basic layouts
- Simplified instructions

LEARN MORE ABOUT OUR PREMIUM 10'X20' SHED PLAN

LEARN MORE!

DISCLAIMER

Howtobuildashed.org is here to help and assist the DIYer. All information / advice is free to use. The information / advice is for general guidance only and whilst every effort is made to ensure that it is correct, it should not be relied upon as accurate. The information / advice contained within this document is intended for persons of no less than 18 years of age. Use of the information / advice contained within this document is at your own risk. It is the sole responsibility of any person(s) using the information / advice contained within this document that their level of competence is appropriate for the task they want to complete. All users of information / advice contained within this document should have all work checked / tested by a professional qualified trades person where applicable. You should be aware of current regulations on buildings, gas, water and electrical works (i.e. Part P) if you have any doubts we would advise you to research further information or contact the appropriate professional body.

LIABILITY

Howtobuildashed.org and individuals associated with the document through ownership and contribution will not accept any liability for any loss, damage, injury or negligence direct or indirect from use of the information / advice contained within this document. Any dispute arising from use of this document or disclaimer will be decided by the US courts under the relevant US law.

COPYRIGHT

The contents of these and other pages (graphics, text and arrangement) are owned unless otherwise noted by Howtobuildashed.org and no part of this document may be reproduced without written permission of the owners Howtobuildashed.org Information may be stored on computer for personal use only, not for presentation or publication.

BASIC OVERVIEW AND DIMENSIONS

This 10 x 20 is a large size shed that is perfect for storing your supplies and spending leisure hours. It is a storage shed with a garage door, entrance door and 2 windows. The overall height of the shed is 12 feet including the roof and the width is 10 feet and 1 inch from the front. The width from the right side is 20 feet and 1 inch while the depth is 21 feet and 7.5 inches. There are two windows on the right wall, each with a measurement of 3x3. The front door needs to be 6 feet and 8.5 inches in height and 3 feet and 8 inches in width.




NOTE

Use old doors and windows to save money. Follow manufacturer's instructions to accurately install the doors and windows.

2 FOUNDATION AND FLOOR

You will start with building the foundation and the floor of the shed. Note that the foundation needs to resilient and accurately designed. Since your shed's entire load will be on the foundation, you need to make sure it is built right. You will use pressure heated timber to create skids as shown in the figure. The width of the foundation should be 20 feet and the height should be 10 feet. Use ³/₄ inches thick tongue and groove plywood for the floor.





NOTE

Buy per-designed joists and skids if you are new to building sheds. This way, you will reduce the chances of any complications in sizing and spacing.



Once the foundation and floor is built, the next step is to start building the wall structures. You will use pressure heated timber to build the right and the left wall. The width of both the walls should be 20 feet and the height should be 7 feet and 6 inches. The right wall will have openings for the front door and the two windows.





NOTE


Add self-adhering flashing on the bottom edges of the windows before installing T1-11.

Copyright © 2017 All Rights Reserved. Use of this PDF file constitutes acceptance of the Howtobuildashed.org User Terms and Privacy Policy.



WALL STRUCTURES

Once the right and the left walls are built, the next step is to start building the front and back wall. The width of the top plate of the walls should be 10 feet while the bottom plate's width should 9 feet and 4 inches. The height of the walls should be 7 feet and 6 inches. Use pressure heated timber to build the structures.




NOTE


Make sure the edges of T1-11 do not overlap each other as this will compromise the functioning and appearance of the T1-11.



After building and installing the walls, start building the roof. Note that roofing is quite a strenuous task which is why we recommend acquiring additional help for the process.

You will build 12 rafters each side and install them as shown in the image. The rafters will be spread over a width of 20 feet 7 inches.





NOTE

Follow the manufacturer's instructions carefully while installing the shingles. Get additional help for the roofing task to safely get the job done.

Supported & Recommended by our Friends & Partners:



Wait no more! Click here to learn more about our premium 10'x20' shed plan and start building your shed today!



PREMIUM PLAN INCLUDES:

- 30+ detailed 3D schematics
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet ready
- Designed for newbies and pro's

LEARN MORE!