

4'X8' **LEAN TO SHED PLAN**



FREE STREAMLINED VERSION



Supported & Recommended by our Friends & Partners:

wikiHow





Sarah x Sarah `BOUT HOME

DIFFERENCES BETWEEN OUR FREE & PREMIUM PLANS



VS.



PREMIUM 4'x8' PLAN

- 30+ detailed 3D schematics
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet ready
- Designed for newbies and pro's

FREE 4'x8' PLAN

- Basic schematics
- Basic angles
- Basic measurements
- Basic layouts
- Simplified instructions

LEARN MORE ABOUT PREMIUM 4'X8' SHED PLAN BENEFITS

LEARN MORE!

DISCLAIMER

Howtobuildashed.org is here to help and assist the DIYer. All information / advice is free to use. The information / advice is for general guidance only and whilst every effort is made to ensure that it is correct, it should not be relied upon as accurate. The information / advice contained within this document is intended for persons of no less than 18 years of age. Use of the information / advice contained within this document is at your own risk. It is the sole responsibility of any person(s) using the information / advice contained within this document that their level of competence is appropriate for the task they want to complete. All users of information / advice contained within this document should have all work checked / tested by a professional qualified trades person where applicable. You should be aware of current regulations on buildings, gas, water and electrical works (i.e. Part P) if you have any doubts we would advise you to research further information or contact the appropriate professional body.

LIABILITY


Howtobuildashed.org and individuals associated with the document through ownership and contribution will not accept any liability for any loss, damage, injury or negligence direct or indirect from use of the information / advice contained within this document. Any dispute arising from use of this document or disclaimer will be decided by the US courts under the relevant US law.

COPYRIGHT

The contents of these and other pages (graphics, text and arrangement) are owned unless otherwise noted by Howtobuildashed.org and no part of this document may be reproduced without written permission of the owners Howtobuildashed.org Information may be stored on computer for personal use only, not for presentation or publication.

BASIC OVERVIEW AND DIMENSIONS


The 4x8 lean Shed is an exquisite and smart shed for anyone who doesn't want a huge structure in their garden. This shed has enough space to accommodate your gardening supplies and at the same time be a beautiful addition to your garden. The overall width of the shed from the front is 8 feet from the bottom plate and 8 feet and 1 inch from the top plate. The side measurements are 9 feet and 4 inches in height and 4 feet and 1 inch in width. There is a double door in front with 5 feet and 7 inches width and 6 feet and 1.5 inches height.



Use old doors and windows to save money. Follow manufacturer's instructions to accurately install the doors and windows.

2 FOUNDATION AND FLOOR

The first step of building this 4x8 lean Shed is building the foundation and the floor. Note that the foundation needs to extremely resilient as it will be carrying the entire weight of the shed. You will use pressure treated timber to create a foundation with a width of 4 feet and length of 8 feet. Once you have built the foundation, you will lay the foundation over it using ³/₄ inches thick tongue and groove plywood.



FOUNDATION BASE




FLOOR

NOTE

Buy per-designed joists and skids if you are new to building sheds. This way, you will reduce the chances of any complications in sizing and spacing.



Once you have built the foundation and laid the flooring, the next step is to start building the right and left wall. The overall width of both the walls would be 4 feet from the top plate and 3 feet and 9 inches from the bottom plate. The overall height will be around 6 feet and 7.5 inches. You will use pressure treated timber to create the joists and skids for the walls. Use 3.5 inches galvanized nails to attach the parts together.




NOTE

Add self-adhering flashing on the bottom edges of the windows before installing T1-11.



Once you are done with the right and left wall, next in line is to build the back and front wall. The height of the front wall should be 6 feet and 7.5 inches while the back wall $\hat{a} \in \mathbb{K}$ s height should be 7 feet and 7.5 inches. The width of both the walls should be 8 feet. Use pressure treated timber to build the joists and skids of the wall. On the front wall, leave the space for the door.




NOTE

Make sure the edges of T1-11 do not overlap each other as this will compromise the functioning and appearance of the T1-11.



Once you have built and set up all the walls, you should start working on the roof of the shed. You will create the roof foundation with rafters. The overall width of the roofing foundation should be 8 feet and the length should be 4 feet and 7 inches. Once done, lay asphalt shingles on the roof after applying roof sheathing.



NOTE

Follow the manufacturer's instructions carefully while installing the shingles. Get additional help for the roofing task to safely get the job done.

Supported & Recommended by our Friends & Partners: wikiHow Movoro ellow Sarah x Sarah `BOUT HOME Sarah x Sarah

Wait no more! Click here to learn more about our premium 4'x8' shed plan and start building your shed today!



PREMIUM PLAN INCLUDES:

- 30+ detailed 3D schematics
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet ready
- Designed for newbies and pro's

LEARN MORE!